

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

The following frequency distributions are based upon surveys with 1,520 high school students in 4 Rivers Region during February of 2009. Frequency distributions may not total 1,520 due to non-response and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 12 years old or younger	3	0.2%
b. 13 years old	2	0.1%
c. 14 years old	161	10.6%
d. 15 years old	389	25.7%
e. 16 years old	404	26.7%
f. 17 years old	372	24.6%
g. 18 years old or older	182	12.0%
<b>Total</b>	<b>1,513</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Female	783	51.7%
b. Male	731	48.3%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 9th grade	423	28.2%
b. 10th grade	387	25.8%
c. 11th grade	372	24.8%
d. 12th grade	315	21.0%
e. Ungraded or other	2	0.1%
<b>Total</b>	<b>1,499</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	73	4.9%
b. No	1,423	95.1%
<b>Total</b>	<b>1,496</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. American Indian or Alaskan Native	62	4.1%
b. Asian	45	3.0%
c. Black or African American	22	1.4%
d. Native Hawaiian or Other Pacific Islander	20	1.3%
e. White	1,409	92.7%
(More than one response allowed)	<b>Total</b>	<b>1,558</b>
		<b>102.5%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 4 ft	2	0.1%
b. 4ft to 4 ft, 6 in	2	0.1%
c. 4ft, 7in to 5 ft	28	1.9%
d. 5ft, 1in to 5ft, 6in	606	40.3%
e. Over 5ft, 6in	864	57.5%
<b>Total</b>	<b>1,502</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-7. How much do you weigh without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 90 lbs	6	0.4%
b. 90-99 lbs	23	1.5%
c. 100-109 lbs	58	3.9%
d. 110-119lbs	140	9.4%
e. 120-129 lbs	229	15.4%
f. 130-139 lbs	231	15.6%
g. 140 lbs +	797	53.7%
<b>Total</b>	<b>1,484</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not ride a bicycle during the past 12 months	342	22.6%
b. Never wore a helmet	956	63.3%
c. Rarely wore a helmet	97	6.4%
d. Sometimes wore a helmet	43	2.8%
e. Most of the time wore a helmet	41	2.7%
f. Always wore a helmet	32	2.1%
<b>Total</b>	<b>1,511</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	49	3.3%
b. Rarely	128	8.6%
c. Sometimes	205	13.8%
d. Most of the time	535	36.0%
e. Always	571	38.4%
<b>Total</b>	<b>1,488</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not drive a car	269	17.9%
b. Never	61	4.1%
c. Rarely	108	7.2%
d. Sometimes	128	8.5%
e. Most of the time	281	18.7%
f. Always	655	43.6%
<b>Total</b>	<b>1,502</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,115	73.7%
b. 1 time	145	9.6%
c. 2 or 3 times	146	9.7%
d. 4 or 5 times	34	2.2%
e. 6 or more times	72	4.8%
<b>Total</b>	<b>1,512</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,327	87.6%
b. 1 time	81	5.4%
c. 2 or 3 times	59	3.9%
d. 4 or 5 times	17	1.1%
e. 6 or more times	30	2.0%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>
<i>Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,114	73.9%
b. 1 day	67	4.4%
c. 2 or 3 days	78	5.2%
d. 4 or 5 days	39	2.6%
e. 6 or more days	210	13.9%
<b>Total</b>	<b>1,508</b>	<b>100.0%</b>
<i>Q-14. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,302	86.0%
b. 1 day	70	4.6%
c. 2 or 3 days	57	3.8%
d. 4 or 5 days	26	1.7%
e. 6 or more days	59	3.9%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>
<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,353	89.2%
b. 1 day	27	1.8%
c. 2 or 3 days	31	2.0%
d. 4 or 5 days	10	0.7%
e. 6 or more days	96	6.3%
<b>Total</b>	<b>1,517</b>	<b>100.0%</b>
<i>Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,464	96.6%
b. 1 day	18	1.2%
c. 2 or 3 days	16	1.1%
d. 4 or 5 days	9	0.6%
e. 6 or more days	9	0.6%
<b>Total</b>	<b>1,516</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,417	93.3%
b. 1 time	44	2.9%
c. 2 or 3 times	26	1.7%
d. 4 or 5 times	4	0.3%
e. 6 or 7 times	9	0.6%
f. 8 or 9 times	1	0.1%
g. 10 or 11 times	4	0.3%
h. 12 or more times	13	0.9%
<b>Total</b>	<b>1,518</b>	<b>100.0%</b>
<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,043	68.9%
b. 1 time	224	14.8%
c. 2 or 3 times	146	9.6%
d. 4 or 5 times	47	3.1%
e. 6 or 7 times	11	0.7%
f. 8 or 9 times	10	0.7%
g. 10 or 11 times	1	0.1%
h. 12 or more times	32	2.1%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>
<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,458	96.3%
b. 1 time	37	2.4%
c. 2 or 3 times	13	0.9%
d. 4 or 5 times	2	0.1%
e. 6 or more times	4	0.3%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>
<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,327	87.6%
b. 1 time	111	7.3%
c. 2 or 3 times	49	3.2%
d. 4 or 5 times	13	0.9%
e. 6 or 7 times	4	0.3%
f. 8 or 9 times	3	0.2%
g. 10 or 11 times	0	0.0%
h. 12 or more times	8	0.5%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>
<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	170	11.3%
b. No	1,337	88.7%
<b>Total</b>	<b>1,507</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-22. Have you ever been forced to have sexual intercourse when you did not want to?	<u>Count</u>	<u>Percent</u>
a. Yes	140	9.3%
b. No	1,368	90.7%
<b>Total</b>	<b>1,508</b>	<b>100.0%</b>
Q-23. During the past 12 months, have you ever been bullied on school property?	<u>Count</u>	<u>Percent</u>
a. Yes	386	25.5%
b. No	1,125	74.5%
<b>Total</b>	<b>1,511</b>	<b>100.0%</b>
Q-24. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	272	17.9%
b. No	1,246	82.1%
<b>Total</b>	<b>1,518</b>	<b>100.0%</b>
Q-25. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	380	25.3%
b. No	1,122	74.7%
<b>Total</b>	<b>1,502</b>	<b>100.0%</b>
Q-26. During the past 12 months, did you ever seriously consider attempting suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	232	15.3%
b. No	1,284	84.7%
<b>Total</b>	<b>1,516</b>	<b>100.0%</b>
Q-27. During the past 12 months, did you make a plan about how you would attempt suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	200	13.2%
b. No	1,315	86.8%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>
Q-28. During the past 12 months, how many times did you actually attempt suicide?	<u>Count</u>	<u>Percent</u>
a. 0 times	1,309	87.0%
b. 1 time	154	10.2%
c. 2 or 3 times	22	1.5%
d. 4 or 5 times	6	0.4%
e. 6 or more times	13	0.9%
<b>Total</b>	<b>1,504</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-29. If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?

	<u>Count</u>	<u>Percent</u>
a. I did not attempt suicide during the past 12 months	1,340	88.6%
b. Yes	33	2.2%
c. No	140	9.3%
<b>Total</b>	<b>1,513</b>	<b>100.0%</b>

Q-30. Have you ever tried cigarette smoking, even one or two puffs?

	<u>Count</u>	<u>Percent</u>
a. Yes	651	43.1%
b. No	861	56.9%
<b>Total</b>	<b>1,512</b>	<b>100.0%</b>

Q-31. How old were you when you smoked a whole cigarette for the first time?

	<u>Count</u>	<u>Percent</u>
a. I have never smoked a whole cigarette	1,019	67.6%
b. 8 years old or younger	47	3.1%
c. 9 or 10 years old	25	1.7%
d. 11 or 12 years old	86	5.7%
e. 13 or 14 years old	150	9.9%
f. 15 or 16 years old	142	9.4%
g. 17 years old or older	39	2.6%
<b>Total</b>	<b>1,508</b>	<b>100.0%</b>

Q-32. During the past 30 days, on how many days did you smoke cigarettes?

	<u>Count</u>	<u>Percent</u>
a. 0 days	1,240	81.8%
b. 1 or 2 days	104	6.9%
c. 3 to 5 days	32	2.1%
d. 6 to 9 days	26	1.7%
e. 10 to 19 days	22	1.5%
f. 20 to 29 days	29	1.9%
g. All 30 days	62	4.1%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>

Q-33. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

	<u>Count</u>	<u>Percent</u>
a. I did not smoke cigarettes during the past 30 days	1,243	82.1%
b. Less than 1 cigarette per day	72	4.8%
c. 1 cigarette per day	62	4.1%
d. 2 to 5 cigarettes per day	101	6.7%
e. 6 to 10 cigarettes per day	18	1.2%
f. 11 to 20 cigarettes per day	9	0.6%
g. More than 20 cigarettes per day	9	0.6%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<b>Q-34. During the past 30 days, how did you usually get your own cigarettes?</b> (Select only one response)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke cigarettes during the past 30 days	1,237	82.0%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	47	3.1%
c. I bought them from a vending machine	5	0.3%
d. I gave someone else money to buy them for me	74	4.9%
e. I borrowed them from someone else	86	5.7%
f. A person 18 years old or older gave them to me	17	1.1%
g. I took them from a store or family member	15	1.0%
h. I got them some other way	28	1.9%
<b>Total</b>	<b>1,509</b>	<b>100.0%</b>

<b>Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,435	94.8%
b. 1 or 2 days	38	2.5%
c. 3 to 5 days	11	0.7%
d. 6 to 9 days	9	0.6%
e. 10 to 19 days	6	0.4%
f. 20 to 29 days	3	0.2%
g. All 30 days	12	0.8%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>

<b>Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	170	11.3%
b. No	1,335	88.7%
<b>Total</b>	<b>1,505</b>	<b>100.0%</b>

<b>Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke during the past 12 months	1,191	78.8%
b. Yes	199	13.2%
c. No	121	8.0%
<b>Total</b>	<b>1,511</b>	<b>100.0%</b>

<b>Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,300	85.6%
b. 1 or 2 days	88	5.8%
c. 3 to 5 days	26	1.7%
d. 6 to 9 days	26	1.7%
e. 10 to 19 days	16	1.1%
f. 20 to 29 days	16	1.1%
g. All 30 days	46	3.0%
<b>Total</b>	<b>1,518</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,378	91.0%
b. 1 or 2 days	55	3.6%
c. 3 to 5 days	19	1.3%
d. 6 to 9 days	13	0.9%
e. 10 to 19 days	14	0.9%
f. 20 to 29 days	12	0.8%
g. All 30 days	24	1.6%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,290	85.2%
b. 1 or 2 days	134	8.9%
c. 3 to 5 days	48	3.2%
d. 6 to 9 days	22	1.5%
e. 10 to 19 days	5	0.3%
f. 20 to 29 days	4	0.3%
g. All 30 days	11	0.7%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	384	25.4%
b. 1 or 2 days	224	14.8%
c. 3 to 9 days	265	17.6%
d. 10 to 19 days	164	10.9%
e. 20 to 39 days	140	9.3%
f. 40 to 99 days	154	10.2%
g. 100 or more days	178	11.8%
<b>Total</b>	<b>1,509</b>	<b>100.0%</b>

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had a drink of alcohol other than a few sips	447	29.6%
b. 8 years old or younger	122	8.1%
c. 9 or 10 years old	80	5.3%
d. 11 or 12 years old	172	11.4%
e. 13 or 14 years old	372	24.6%
f. 15 or 16 years old	289	19.1%
g. 17 years old or older	28	1.9%
<b>Total</b>	<b>1,510</b>	<b>100.0%</b>



## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	945	62.5%
b. 1 or 2 days	251	16.6%
c. 3 to 5 days	130	8.6%
d. 6 to 9 days	104	6.9%
e. 10 to 19 days	59	3.9%
f. 20 to 29 days	10	0.7%
g. All 30 days	14	0.9%
<b>Total</b>	<b>1,513</b>	<b>100.0%</b>

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,115	73.6%
b. 1 day	113	7.5%
c. 2 days	94	6.2%
d. 3 to 5 days	97	6.4%
e. 6 to 9 days	52	3.4%
f. 10 to 19 days	30	2.0%
g. 20 or more days	14	0.9%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink alcohol during the past 30 days	923	60.9%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	14	0.9%
c. I bought it at a restaurant, bar, or club	9	0.6%
d. I bought it at a public event such as a concert or sporting event	4	0.3%
e. I gave someone else money to buy it for me	172	11.3%
f. Someone gave it to me	222	14.6%
g. I took it from a store or family member	35	2.3%
h. I got it some other way	137	9.0%
<b>Total</b>	<b>1,516</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,407	93.9%
b. 1 or 2 days	51	3.4%
c. 3 to 5 days	17	1.1%
d. 6 to 9 days	10	0.7%
e. 10 to 19 days	4	0.3%
f. 20 to 29 days	2	0.1%
g. All 30 days	7	0.5%
<b>Total</b>	<b>1,498</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-47. During your life, how many times have you used marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,027	67.9%
b. 1 or 2 times	121	8.0%
c. 3 to 9 times	93	6.1%
d. 10 to 19 times	48	3.2%
e. 20 to 39 times	53	3.5%
f. 40 to 99 times	48	3.2%
g. 100 or more times	123	8.1%
<b>Total</b>	<b>1,513</b>	<b>100.0%</b>

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never tried marijuana	1,020	67.3%
b. 8 years old or younger	29	1.9%
c. 9 or 10 years old	20	1.3%
d. 11 or 12 years old	37	2.4%
e. 13 or 14 years old	168	11.1%
f. 15 or 16 years old	207	13.7%
g. 17 years old or older	34	2.2%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,222	81.3%
b. 1 or 2 times	102	6.8%
c. 3 to 9 times	65	4.3%
d. 10 to 19 times	39	2.6%
e. 20 to 39 times	26	1.7%
f. 40 or more times	49	3.3%
<b>Total</b>	<b>1,503</b>	<b>100.0%</b>

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,441	95.2%
b. 1 or 2 times	33	2.2%
c. 3 to 9 times	11	0.7%
d. 10 to 19 times	16	1.1%
e. 20 to 39 times	3	0.2%
f. 40 or more times	10	0.7%
<b>Total</b>	<b>1,514</b>	<b>100.0%</b>

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,431	94.6%
b. 1 or 2 times	42	2.8%
c. 3 to 9 times	15	1.0%
d. 10 to 19 times	7	0.5%
e. 20 to 39 times	3	0.2%
f. 40 or more times	14	0.9%
<b>Total</b>	<b>1,512</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,463	97.4%
b. 1 or 2 times	17	1.1%
c. 3 to 9 times	8	0.5%
d. 10 to 19 times	4	0.3%
e. 20 to 39 times	1	0.1%
f. 40 or more times	9	0.6%
<b>Total</b>	<b>1,502</b>	<b>100.0%</b>

<i>Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,347	88.9%
b. 1 or 2 times	86	5.7%
c. 3 to 9 times	38	2.5%
d. 10 to 19 times	19	1.3%
e. 20 to 39 times	9	0.6%
f. 40 or more times	16	1.1%
<b>Total</b>	<b>1,515</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,469	97.3%
b. 1 or 2 times	16	1.1%
c. 3 to 9 times	10	0.7%
d. 10 to 19 times	4	0.3%
e. 20 to 39 times	4	0.3%
f. 40 or more times	7	0.5%
<b>Total</b>	<b>1,510</b>	<b>100.0%</b>

<i>Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,482	98.0%
b. 1 or 2 times	10	0.7%
c. 3 to 9 times	4	0.3%
d. 10 to 19 times	2	0.1%
e. 20 to 39 times	1	0.1%
f. 40 or more times	13	0.9%
<b>Total</b>	<b>1,512</b>	<b>100.0%</b>

<i>Q-56. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,421	93.7%
b. 1 or 2 times	56	3.7%
c. 3 to 9 times	14	0.9%
d. 10 to 19 times	8	0.5%
e. 20 to 39 times	4	0.3%
f. 40 or more times	13	0.9%
<b>Total</b>	<b>1,516</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,470	97.2%
b. 1 or 2 times	16	1.1%
c. 3 to 9 times	6	0.4%
d. 10 to 19 times	4	0.3%
e. 20 to 39 times	5	0.3%
f. 40 or more times	12	0.8%
<b>Total</b>	<b>1,513</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,479	97.8%
b. 1 time	18	1.2%
c. 2 or more times	15	1.0%
<b>Total</b>	<b>1,512</b>	<b>100.0%</b>

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	328	21.8%
b. No	1,177	78.2%
<b>Total</b>	<b>1,505</b>	<b>100.0%</b>

<i>Q-60. Have you ever had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	672	44.5%
b. No	838	55.5%
<b>Total</b>	<b>1,510</b>	<b>100.0%</b>

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	834	55.3%
b. 11 years old or younger	46	3.0%
c. 12 years old	36	2.4%
d. 13 years old	60	4.0%
e. 14 years old	139	9.2%
f. 15 years old	208	13.8%
g. 16 years old	132	8.7%
h. 17 years old or older	54	3.6%
<b>Total</b>	<b>1,509</b>	<b>100.0%</b>

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	851	56.2%
b. 1 person	238	15.7%
c. 2 people	122	8.1%
d. 3 people	90	5.9%
e. 4 people	68	4.5%
f. 5 people	34	2.2%
g. 6 or more people	110	7.3%
<b>Total</b>	<b>1,513</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	844	55.9%
b. I have had sexual intercourse, but not during the past 3 months	180	11.9%
c. 1 person	367	24.3%
d. 2 people	58	3.8%
e. 3 people	21	1.4%
f. 4 people	8	0.5%
g. 5 people	8	0.5%
h. 6 or more people	25	1.7%
<b>Total</b>	<b>1,511</b>	<b>100.0%</b>

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	825	55.0%
b. Yes	179	11.9%
c. No	496	33.1%
<b>Total</b>	<b>1,500</b>	<b>100.0%</b>

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	848	56.4%
b. Yes	424	28.2%
c. No	232	15.4%
<b>Total</b>	<b>1,504</b>	<b>100.0%</b>

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	833	55.3%
b. No method was used to prevent pregnancy	61	4.1%
c. Birth control pills	155	10.3%
d. Condoms	348	23.1%
e. Depo-Provera	16	1.1%
f. Withdrawal	48	3.2%
g. Some other method	25	1.7%
h. Not sure	20	1.3%
<b>Total</b>	<b>1,506</b>	<b>100.0%</b>

<i>Q-67. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	26	1.7%
b. Slightly underweight	173	11.6%
c. About the right weight	865	58.2%
d. Slightly overweight	386	26.0%
e. Very overweight	37	2.5%
<b>Total</b>	<b>1,487</b>	<b>100.0%</b>

<i>Q-68. Which of the following are you trying to do about your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Lose weight	622	41.2%
b. Gain weight	263	17.4%
c. Stay the same weight	300	19.9%
d. I am not trying to do anything about my weight	325	21.5%
<b>Total</b>	<b>1,510</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	890	59.5%
b. No	605	40.5%
<b>Total</b>	<b>1,495</b>	<b>100.0%</b>
Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	549	36.6%
b. No	953	63.4%
<b>Total</b>	<b>1,502</b>	<b>100.0%</b>
Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	163	10.8%
b. No	1,346	89.2%
<b>Total</b>	<b>1,509</b>	<b>100.0%</b>
Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	63	4.2%
b. No	1,444	95.8%
<b>Total</b>	<b>1,507</b>	<b>100.0%</b>
Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	68	4.5%
b. No	1,427	95.5%
<b>Total</b>	<b>1,495</b>	<b>100.0%</b>
Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	268	17.8%
b. 1 to 3 times during the past 7 days	609	40.4%
c. 4 to 6 times during the past 7 days	278	18.4%
d. 1 time per day	134	8.9%
e. 2 times per day	119	7.9%
f. 3 times per day	57	3.8%
g. 4 or more times per day	44	2.9%
<b>Total</b>	<b>1,509</b>	<b>100.0%</b>
Q-75. During the past 7 days, how many times did you eat fruit?	<u>Count</u>	<u>Percent</u>
a. I did not eat fruit during the past 7 days	120	8.0%
b. 1 to 3 times during the past 7 days	590	39.2%
c. 4 to 6 times during the past 7 days	370	24.6%
d. 1 time per day	164	10.9%
e. 2 times per day	158	10.5%
f. 3 times per day	63	4.2%
g. 4 or more times per day	41	2.7%
<b>Total</b>	<b>1,506</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat green salad during the past 7 days	387	25.6%
b. 1 to 3 times during the past 7 days	675	44.7%
c. 4 to 6 times during the past 7 days	268	17.8%
d. 1 time per day	127	8.4%
e. 2 times per day	32	2.1%
f. 3 times per day	5	0.3%
g. 4 or more times per day	15	1.0%
<b>Total</b>	<b>1,509</b>	<b>100.0%</b>

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat potatoes during the past 7 days	388	25.8%
b. 1 to 3 times during the past 7 days	825	54.8%
c. 4 to 6 times during the past 7 days	204	13.6%
d. 1 time per day	55	3.7%
e. 2 times per day	24	1.6%
f. 3 times per day	2	0.1%
g. 4 or more times per day	7	0.5%
<b>Total</b>	<b>1,505</b>	<b>100.0%</b>

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat carrots during the past 7 days	594	39.5%
b. 1 to 3 times during the past 7 days	690	45.9%
c. 4 to 6 times during the past 7 days	133	8.8%
d. 1 time per day	47	3.1%
e. 2 times per day	16	1.1%
f. 3 times per day	10	0.7%
g. 4 or more times per day	14	0.9%
<b>Total</b>	<b>1,504</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat other vegetables during the past 7 days	192	12.8%
b. 1 to 3 times during the past 7 days	664	44.3%
c. 4 to 6 times during the past 7 days	370	24.7%
d. 1 time per day	156	10.4%
e. 2 times per day	70	4.7%
f. 3 times per day	26	1.7%
g. 4 or more times per day	20	1.3%
<b>Total</b>	<b>1,498</b>	<b>100.0%</b>

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink a soda or pop during the past 7 days	314	20.8%
b. 1 to 3 times during the past 7 days	573	38.0%
c. 4 to 6 times during the past 7 days	290	19.2%
d. 1 time per day	135	9.0%
e. 2 times per day	101	6.7%
f. 3 times per day	46	3.1%
g. 4 or more times per day	49	3.2%
<b>Total</b>	<b>1,508</b>	<b>100.0%</b>

## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink milk during the past 7 days	169	11.3%
b. 1 to 3 glasses during the past 7 days	268	18.0%
c. 4 to 6 glasses during the past 7 days	246	16.5%
d. 1 glass per day	230	15.4%
e. 2 glasses per day	264	17.7%
f. 3 glasses per day	187	12.5%
g. 4 or more glasses per day	129	8.6%
<b>Total</b>	<b>1,493</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	175	11.8%
b. 1 day	124	8.3%
c. 2 days	114	7.7%
d. 3 days	163	11.0%
e. 4 days	146	9.8%
f. 5 days	233	15.7%
g. 6 days	163	11.0%
h. 7 days	368	24.8%
<b>Total</b>	<b>1,486</b>	<b>100.0%</b>

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not watch TV on an average school day	210	14.0%
b. Less than 1 hour per day	308	20.6%
c. 1 hour per day	308	20.6%
d. 2 hours per day	345	23.1%
e. 3 hours per day	206	13.8%
f. 4 hours per day	62	4.1%
g. 5 or more hours per day	57	3.8%
<b>Total</b>	<b>1,496</b>	<b>100.0%</b>

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	358	23.9%
b. Less than 1 hour per day	502	33.5%
c. 1 hour per day	230	15.4%
d. 2 hours per day	207	13.8%
e. 3 hours per day	92	6.1%
f. 4 hours per day	34	2.3%
g. 5 or more hours per day	75	5.0%
<b>Total</b>	<b>1,498</b>	<b>100.0%</b>

<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	631	42.5%
b. 1 day	21	1.4%
c. 2 days	38	2.6%
d. 3 days	185	12.4%
e. 4 days	21	1.4%
f. 5 days	590	39.7%
<b>Total</b>	<b>1,486</b>	<b>100.0%</b>



## 2009 4 RIVERS REGION YOUTH RISK BEHAVIOR SURVEY

### HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 teams	524	35.1%
b. 1 team	379	25.4%
c. 2 teams	293	19.7%
d. 3 or more teams	295	19.8%
<b>Total</b>	<b>1,491</b>	<b>100.0%</b>
 <i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	 <b><u>Count</u></b>	 <b><u>Percent</u></b>
a. Yes	1,238	83.0%
b. No	145	9.7%
c. Not sure	109	7.3%
<b>Total</b>	<b>1,492</b>	<b>100.0%</b>
 <i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	 <b><u>Count</u></b>	 <b><u>Percent</u></b>
a. Yes	264	17.9%
b. No	1,156	78.4%
c. Not sure	55	3.7%
<b>Total</b>	<b>1,475</b>	<b>100.0%</b>
 <i>Q-89. Do you still have asthma?</i>	 <b><u>Count</u></b>	 <b><u>Percent</u></b>
a. I have never had asthma	987	66.3%
b. Yes	206	13.8%
c. No	177	11.9%
d. Not sure	118	7.9%
<b>Total</b>	<b>1,488</b>	<b>100.0%</b>
 <i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	 <b><u>Count</u></b>	 <b><u>Percent</u></b>
a. Yes	162	11.0%
b. No	1,305	89.0%
<b>Total</b>	<b>1,467</b>	<b>100.0%</b>
 <i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	 <b><u>Count</u></b>	 <b><u>Percent</u></b>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	336	22.9%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	62	4.2%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	73	5.0%
d. Yes drives, has valid license or permit and completed driver ed	901	61.3%
e. Yes, drives on public roads, but does not have a valid license or permit	98	6.7%
<b>Total</b>	<b>1,470</b>	<b>100.0%</b>